


Wanescan

Mittaskanneri särmäystä, katkaisua ja halkaisua varten



Hyödyt asiakkaalle

- ✓ Puutavaran koko profiiliin (mukaan lukien vajaiden särmien sijainti ja muoto) rekonstruktio
- ✓ Mittaus molemmilta puolilta lautta kääntämättä
- ✓ Soveltuu sekä pitkittäiseen että poikittaiseen kuljetukseen
- ✓ Tunnistaa ulkonemat, mittapoikkeamat ja epätasaiset pinnat
- ✓ Lajittelua ja optimointia reunojen työstöön, särmäykseen ja halkaisuun



Wanescan on MiCROTECin ratkaisu vajasärmäisen puutavaran täysprofiilikuvaamiseen. Se tunnistaa kaikki puutavaran mittapoikkeamat, ulkonemat ja epätasaiset reunat. Anturit kuvaavat jokaisen laudan ja tallentavat vajaan särmän sijainnin ja määrän sekä tunnistavat tarkasti karkeiden reunojen muodon ja sijainnin, sekä terien porrastuksen jäljen. Tekniikka toimii sekä pitkittäisissä että poikittaisissa kuljetussuunnissa.

Species

- ✓ Hardwood
- ✓ Softwood

Feeding

- ✓ Lineal
- ✓ Transverse

Purpose of scanning

- ✓ Dimensional

Technology

- ✓ 3D Laser

Technical Data

- ✓ Speed up to 500 m/min-1700FPM (lineal feeding)
- ✓ Speed up to 240 lugs/min (transverse feeding)
- ✓ Width up to 600 mm/23.6"
- ✓ Thickness up to 300 mm/11.8"

Application

- ✓ Sorting
- ✓ Trimming
- ✓ Edging

Feature

- ✓ Wane measurement
- ✓ Thickness measurement
- ✓ Width measurement
- ✓ Length Measurement
- ✓ Top and Top-Bottom configuration available

Maaailman johtavia ouunmittausratkaisuja

MiCROTEC

Klovinpellontie 1-3
2180 Espoo
Finland

T

sales@microtec.eu

<https://>

